

Self-Service Kiosk

27" |



Service your customers quicker and easier with the all-in-one self-service kiosk

The TOPAZ Self Service Kiosk, strives to benefit both your business and the customer. With the all-in-one self-service kiosk, customers can order and checkout quicker and easier than ever before, freeing up your employees to focus more on customer service.

The Self-Service Kiosk has been designed to fit in with a range of retail establishments with the use of the 10 point touch screen display, integrated printer and space for an integrated card reader. Take full advantage of the QR Code reader, with special offers or pre-paid for services

Designed to streamline service, perfect for any high footfall retail stores or fast food restaurants. The Windows computer system means that the Kiosk display will get regular software updates enhancing the longevity and stability of the display.

Key Features



QR Code
Reader



Inbuilt Windows
Computer



Intergrated Printer



Toughened
Glass



QR Code Reader

Utilise the QR Code Reader for buying products, or for promotion codes. Giving your customers the ease and freedom to purchase their products quickly and easily.

10 Point Touch Technology

With 10 simultaneous touch points these displays may be small but enable maximum interaction with your customers. With stunning responsiveness, the P-CAP touch technology puts your information at your customers finger tips.


24/7 Usage

The TOPAZ Self Service Kiosk has been designed to be used 24/7, as more and more retail establishments are now 24/7 we built the Self Service Kiosk to coincide with this.

Built in Intel Powered PC

With a built in Windows computer these screens require no additional hardware if you are displaying a website or have an Android compatible App.

Product Images



Technical Specifications

| | | 27" |
|---------------|----------------------------|--|
| Display | Display Area (mm) | 366 x 598 |
| | Pixel Pitch (mm) | 0.3114 x 0.3114 |
| | Resolution | 1920 x 1080 |
| | VESA | 200 x 400 / 400 x 400 |
| | Aspect Ratio | 16:9 |
| | Colour | 16.7M |
| | Brightness | 350 cd/m2 |
| | Contrast Ratio | 5000:1 |
| | Response Time | 5msx |
| | Lifespan (Hours) | 70,000 |
| Touch Points | Touch Technology | Projective Capacitive |
| | Touch Points | 10 |
| | Glass Hardness | 6H minimum |
| Audio | Speakers | 8Ω, 5W x 2 |
| Mechanical | Unit Size (WxHxD mm) | 462 x 1075 x 192.4 |
| | Package Size (WxHxD mm) | 462x1075x192.4 |
| | Mounting Holes (mm) | 1155 x 560 x 265 |
| | Net Weight (kg) | 41 |
| | Gross Weight (kg) | 45 |
| Environmental | Operating Temperature | 0°C to 50°C |
| | Storage Temperature | -30°C to 60°C |
| | Operating Humidity | 10% to 80% |
| | Storage Humidity | 5% to 95% |
| Computer | CPU | Intel Core i5-8259U (2.3GHz (3.8GHz Boost) Quad Core) |
| | RAM | 8GB DDR4 (2666MHz Expandable to 32GB Dual Slot) |
| | Hard Drive/Internal Memory | 256GB M.2 SSD |
| | WiFi | Dual-Band 5GHz/2.4GHz 802.11n/ac |
| | LAN | 10/100/1000 Ethernet |
| | OS | Windows 7, Windows 8, Windows 10, Linux (licence purchased separately) |

