

Video Walls

49" | 55" |



The TOPAZ Ultra-Slim Bezel Display, Designed For Eye Catching Seamless Video Wall Solutions


Our TOPAZ Video Wall displays provide a near seamless bezel with a combined bezel thickness of just 3.5mm between the 2 screens! This delivers breath-taking results when a real impact is needed creating a near seamless image on a big scale.

Designed for digital signage applications and intended to operate 24/7 this display features an Inbuilt Video Matrix Processor meaning the displays can be connected together to create a video wall and will automatically tile the content with no additional hardware needed!

These displays feature a wide range of inputs making it easy to connect your media source to the video wall.

The individual screens come in two sizes, 49" and 55". We have previously installed these across multiple Motorway Service Stations, Restaurants and Retail Establishments.


Key Features



Screen Tiling



Near Seamless Bezel



Portrait or Landscape



IPS Panel



Near Seamless Bezel

At a combined width of just 3.5mm these displays offer a near seamless video wall delivering maximum results.

Smart Temperature Control

The intuitive temperature control system even allows you to set the desired temperature for the fans to become active ensuring the displays and their internal components operate at the optimum temperature!


Automatic Screen Tiling

The integrated video matrix processor, means that no additional hardware is needed to configure your Video Wall in your required layout.

RS-232 Control

Using RS-232, you can daisy-chain multiple TOPAZ Video Wall displays together resulting in a stunning finish

Product Images




Technical Specifications

		49"	55"
Display	Unit Size (wxhxd mm)	1078 x 608 x 114	1213.5 x 684.5 x 118
	Unit Weight (kg)	14.4	17.15
	Display Area (mm)	1074 x 604.3	1209.9 x 680.7
	Vesa Config	600 x 400	600 x 400
	Resolution	1920 x 1080	1920 x 1080
	Bezel Size	Bottom/right: 2.34 Top/left: 1.16	Bottom/right: 1.2 Top/left: 2.3
	Aspect Ratio	16:9	16:9
	Brightness (cd/m2)	500	500
	Contrast Ratio	1300:1	1300:1
	Colour	16.7m	16.7m
	Viewing Angle	178°	178°
	Input Voltage	AC110-240V (50Hz-60Hz)	AC110-240V (50Hz-60Hz)
	Working Temperature	0°C to 50°C	0°C to 50°C
AV Inputs	Video	HDMI & VGA	
	Audio	Audio Socket 3.5mm	
Extras	Included	Remote control, AC Power Cable, User Manual, VGA/HDMI Cable, OSD Control Box	

Technical Drawing

49"



55"

